•	Application No.		Applicant(s)	
Notice of Allowability	10/050,795		FURUHATA, MUTS	UYA
	Examiner		Art Unit	
	Melissa J Ko	oval	2851	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
 This communication is responsive to the Amendment of July 2, 2003. The allowed claim(s) is/are 1-65. The drawings filed on are accepted by the Examiner. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). All b)				
International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application). (a) The translation of the foreign language provisional application has been received. 6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
 8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No (b) including changes required by the proposed drawing correction filed <u>02 July 2003</u>, which has been approved by the Examiner. (c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No 				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.				
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)				
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449), Paper No Examiner's Comment Regarding Requirement for Deposit of Biological Material 	·	2☐ Notice of Informa 4☐ Interview Summa 6☑ Examiner's Amer 8☐ Examiner's State 9☐ Other	ary (PTO-413), Paper ndment/Comment	No

Art Unit: 2851

EXAMINER'S COMMENT

Allowable Subject Matter

Claims 1-65 are allowed.

Terminal Disclaimer

The terminal disclaimer filed on July 2, 2003 disclaiming the terminal portion of any patent granted on this application which would extend beyond the expiration date of U.S. Patent 6,345,897 B1 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melissa J Koval whose telephone number is (703) 308-4801. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Russell Adams can be reached on Monday through Thursday at (703) 308-2847. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9318 for Regular Communications and (703) 872-9319 for After Final Communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956. mill Early

MJK

TECHNOLOGY CENTER 2800